

## TEST REPORT

Applicant: RESIN PRO SRL  
VIA XXV APRILE Z.I. SNC  
ARCOLA  
SP  
- ITA -

Number: HKGH02965260

Date: Feb 01, 2023

Sample and Information provided by customer :  
Item Name : **EPOXY FOOD**  
Quantity : 1 piece  
Job Reference No. : ITAH23000484



\*\*\*\*\*

For and on behalf of :  
Intertek Testing Services HK Ltd.

Cindy I.K. Chan  
Vice President



Page 1 of 4

## TEST REPORT

Number : HKGH02965260

**Conclusion:**

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) European Economic Community 1895/2005/EC - Specific Migration of BADGE, BFDGE and NOGE	Pass

**Decision Rule(s):**

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to Intertek's "Decision Rule Document" and is available on Intertek's website. <https://intertekhk.grd.by/decision-rule-doc>.

If decision rule already inhered in the requested specification or standard, Intertek's "Decision Rule Document" is not applicable and indication of "∞" was shown as above table.



Page 2 of 4



## TEST REPORT

Number : HKGH02965260

- (1) Specific Migration of Bisphenol-A Diglycidyl Ether (BADGE), Bisphenol-F Diglycidyl Ether (BFDGE) and Novolac Glycidyl Ether (NOGE) Test

Test Standard : EN15136 : 2006 and EN13130-1 : 2004.

I. Test condition :

Aqueous food simulant	
Time	Temperature
2 hours	70 °C

II. Test result :

Result for sum of BADGE, BADGE.H<sub>2</sub>O, BADGE.2H<sub>2</sub>O

Tested component	Migration	Result (mg/kg) 3% (w/v) acetic acid
(1)	1 <sup>st</sup>	<1
	2 <sup>nd</sup>	<1
	3 <sup>rd</sup>	<1
Limit (mg/kg)		9

Result for sum of BADGE.HCl, BADGE.2HCl, BADGE.H<sub>2</sub>O.HCl

Tested component	Migration	Result (mg/kg) 3% (w/v) acetic acid
(1)	1 <sup>st</sup>	<1
	2 <sup>nd</sup>	<1
	3 <sup>rd</sup>	<1
Limit (mg/kg)		1



## TEST REPORT

Number : HKGH02965260

### Result of BFDGE

Tested component	Migration	Result (mg/kg) 3% (w/v) acetic acid
(1)	1 <sup>st</sup>	Not Detected
	2 <sup>nd</sup>	Not Detected
	3 <sup>rd</sup>	Not Detected
Limit (mg/kg)		Not Detected

### Result of NOGE

Tested component	Migration	Result (mg/kg) 3% (w/v) acetic acid
(1)	1 <sup>st</sup>	Not Detected
	2 <sup>nd</sup>	Not Detected
	3 <sup>rd</sup>	Not Detected
Limit (mg/kg)		Not Detected

Remark :

Detection limit :

BFDGE = 0.05 mg/kg

NOGE = 0.05 mg/kg

As per client's request, the above condition and food simulant were used for the test.

Component no.	Component description
1.	Transparent plastic

Date sample received : Jan 13, 2023

Testing period : Jan 13, 2023 to Jan 30, 2023

\*\*\*\*\*

End of report

*This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.*

*The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.*



Page 4 of 4

